




Spare Parts

Alfa Laval Agitator - ALS / ALB




ESE03339-EN3

2020-02

Original manual

The information herein is correct at the time of issue but may be subject to change without prior notice

1. Agitator Main Components, Drive end	4
2. Agitator Main Components, Wet end	6
3. Bearing frame, B20, B25, B25/30, B35, B35/40, B45, B45/50, B55, B55/60	8
4. Bearing frame, BC160/35, BC160D/30, BC160DH/30	12
5. Shaft seal, type D	14
6. Shaft seal, type DC	16
7. Shaft seal, type S1	18
8. Shaft seal, type S2	20
9. Shaft seal, type S3	22




Agitator Main Components, Drive end

Pos	Qty	Denomination	Flange seal Thickness 3.53	Flange seal Thickness 5.33	Flange seal LKR agitator
1	□	1 GR gear motor, hollow shaft			
2	□	1 GP gear motor, hollow shaft			
3	□	1 GR gear motor, output shaft			
4	□	1 GC gear motor, output shaft			
5	◆	1 Bearing frame B20, B25, B25/30, B35, B35/40, B45, B45/50, B55, B55/60			
6	◆	1 Bearing frame, BC160/35, BC160D/30, BC160DH/30			
7	◆	1 Shaft seal type R			
8	◆	1 Shaft seal type G			
9	◆	1 Shaft seal type V			
10	◆	1 Shaft seal type S			
11	◆	1 Shaft seal type S3			
38	◆	1 Shaft seal type D			
39	◆	1 Shaft seal type DC			
13		1 O-ring, FEP (for flange OD2=134, std)	TE2601000078		
		1 O-ring, FEP (for flange OD2=134, raised)	TE2601000078		
		1 O-ring, FEP (for flange OD2=140, std)	TE2601000078		
		1 O-ring, FEP (for flange OD2=160, std)	TE2601000078		
		1 O-ring, FEP (for flange OD2=200, std)	TE2601000073		
		1 O-ring, FEP (for flange OD2=200, raised)	TE2601000073		
		1 O-ring, FEP (for flange OD2=220, std)	TE2601000073		
		1 O-ring, EPDM (for flange OD2=225, raised)			TE2601000146
		1 O-ring, FPM (for flange OD2=225, raised)			TE2601000679
		1 O-ring, FEP (for flange OD2=230, std)	TE2601000074		
		1 O-ring, FEP (for flange OD2=250, std)	TE2601000074		
		1 O-ring, FEP (for flange OD2=250, raised)	TE2601000396		
		1 O-ring, FEP (for flange OD2=285, std)	TE2601000074		
		1 O-ring, FEP (for flange OD2=285, std)	TE2601000550		
		1 O-ring, FEP (for flange OD2=300, std)	TE2601000075		
		1 O-ring, EPDM (for flange OD2=300, std)			TE2601000371
		1 O-ring, FPM (for flange OD2=300, std)			TE2601000412
		1 O-ring, FEP (for flange OD2=325, std)	TE2601000076		
		1 O-ring, FEP (for flange OD2=340, std)	TE2601000075		
		1 O-ring, FEP (for flange OD2=342,9, std)	TE2601000076		
		1 O-ring, FEP (for flange OD2=350, std)	TE2601000076		
		1 O-ring, FEP (for flange OD2=395, std)	TE2601000163		
		1 O-ring, FEP (for flange OD2=395, std)		9615483101	
		1 O-ring, FEP (for flange OD2=400, std)	TE2601000163		
		1 O-ring, FEP (for flange OD2=406,4, std)	TE2601000163		
		1 O-ring, FEP (for flange OD2=445, std)	TE2601000163		
		1 O-ring, FEP (for flange OD2=455, std)		9615483201	
		1 O-ring, FEP (for flange OD2=450, std)	TE2601000164		
		1 O-ring, FEP (for flange OD2=505, std)		9615483301	
		1 O-ring, FEP (for flange OD2=550, std)	TE2601000571		
16	□	X Screw, pointed			
17	□	1 Welding flange			
18	□	1 Mounting flange, standard			
19	□	1 Mounting flange, raised			
20	□	X Stud			
21	□	X Cap nut			
22	□	X Washer			
23	□	X Screw			
24	□	1 Washer, Nord Lock			
25	□	1 Fixing element			
26	□	1 Lantern, complete,			
27	□	1 Drive unit flange			
34	□	1 Disc spacer			
35	□	1 Coupling			
36	□	1 Motor and shaft unit			
37	□	1 Motor			

□ Article number available upon request by serial number or article number of the Agitator.

◆ Article number is to be found in the next section matching the specific bearing frame and shaft seal type.

X Quantity may vary depending on Agitator type, will be informed upon request.




Pos	Qty	Denomination	Impeller seal	Flange seal
12	1	O-ring, FEP, (for shaft size OD1=25)	TE2601000243	
	1	O-ring, FEP, (for shaft size OD1=30)	TE2601000244	
	1	O-ring, FEP, (for shaft size OD1=35)	TE2601000245	
	1	O-ring, FEP, (for shaft size OD1=40)	TE2601000246	
	1	O-ring, FEP, (for shaft size OD1=45)	TE2601000247	
	1	O-ring, FEP, (for shaft size OD1=50)	TE2601000248	
	1	O-ring, FEP, (for shaft size OD1=55)	TE2601000249	
	1	O-ring, FEP, (for shaft size OD1=60)	TE2601000250	
	1	O-ring, FEP, (for shaft size OD1=65)	TE2601000189	
	1	O-ring, FEP, (for shaft size OD1=70)	TE2601000609	
	1	O-ring, FEP, (for shaft size OD1=75)	TE2601000610	
	1	O-ring, FEP, (for shaft size OD1=80)	TE2601000611	
	1	O-ring, FEP, (for shaft size OD1=90)	TE2601000612	
14	☐	1 Shaft		
15	☐	1 Parallel key		
16	☐	X Screw, pointed		
28	☐	1 Impeller device, EnSaFoil, (ESF), w. thread		
	☐	1 Impeller device, EnSaFoil, (ESF), welding		
29	☐	1 Impeller device, EnSaFoil Low level, (ESFL), w. thread		
	☐	1 Impeller device, EnSaFoil Low level, (ESFL), welding		
30	☐	1 Impeller device, EnSaFoil, (ESF), w. screws		
31	☐	1 Impeller device, EnSaFoil Low level, (ESFL), w. screws		

☐ Article number available upon request by serial number or article number of the agitator.

♦ Article number is to be found in the next section matching the specific bearing frame and shaft seal type.

X Quantity may vary depending on Agitator type, will be informed upon request.




Bearing frame, B20, B25, B25/30, B35, B35/40, B45, B45/50, B55, B55/60

Pos	Qty	Denomination	B20	B25	B25/30	B35
1	1	Bearing frame - housing				
2	1	Drive shaft				
3	1	Coupling				
4	1	Cover				
5	1	Pin				
6	2	Pin				
7	1	Tool, retainer bolt	TE2604010700	TE2604010700	TE2604010700	TE2604010100
8	☐	Spider, PUR	TE2601000351	TE2601000351	TE2601000351	TE2601000352
9	☐	Bearing	TE2601000120	TE2601000120	TE2601000120	TE2601000121
10	☐	Bearing	TE2601000122	TE2601000122	TE2601000122	TE2601000123
11	☐	PreVent Valve	TE2601000362	TE2601000362	TE2601000362	TE2601000362
12	☐	Seal, radial	TE2601000560	TE2601000592	TE2601000318	TE2601000227
13	☐	O-ring, FPM	TE2601000301	TE2601000301	TE2601000301	TE2601000304
14	☐	O-ring, FPM	TE2601000300	TE2601000300	TE2601000300	TE2601000302
15	☐	O-ring, FPM	TE2601000303	TE2601000303	TE2601000303	TE2601000269
16	☐	O-ring, FPM	TE2601000269	TE2601000269	TE2601000269	TE2601000277
17	1	Circlip, inner				
18	1	Spring, wave				
19	1	Screw				
20	1	Extractor bolt	TE2601000331	TE2601000331	TE2601000331	TE2601000336
21	8	Cap nut				
22	2	Pin				
23	1	Circlip, outer				
25	1	Washer				
			B20	B25	B25/30	B35

Assembly Kit

☐	Assembly Kit, Bearing frame B20, B25, B25/30, B35	TE261301266B	TE261301267B	TE2613066880	TE261301269C
--------------------------	---	--------------	--------------	--------------	--------------




Bearing frame, B20, B25, B25/30, B35, B35/40, B45, B45/50, B55, B55/60

Pos	Qty	Denomination	B35/40	B45	B45/50	B55	B55/60
1	1	Bearing frame - housing					
2	1	Drive shaft					
3	1	Coupling					
4	1	Cover					
5	1	Pin					
6	2	Pin					
7	1	Tool, retainer bolt	TE2604010100	TE2604010890	TE2604010890	TE2604010900	TE2604010900
8	□	1 Spider, PUR	TE2601000352	TE2601000361	TE2601000361	TE2601000353	TE2601000353
9	□	1 Bearing	TE2601000121	TE2601000094	TE2601000094	TE2601000124	TE2601000124
10	□	1 Bearing	TE2601000123	TE2601000093	TE2601000093	TE2601000125	TE2601000125
11	□	1 PreVent Valve	TE2601000362	TE2601000362	TE2601000362	TE2601000362	TE2601000362
12	□	1 Seal, radial	TE2601000321	TE2601000322	TE2601000359	TE2601000324	TE2601000325
13	□	1 O-ring, FPM	TE2601000304	TE2601000270	TE2601000270	TE2601000274	TE2601000274
14	□	1 O-ring, FPM	TE2601000302	TE2601000271	TE2601000271	TE2601000273	TE2601000273
15	□	1 O-ring, FPM	TE2601000269	TE2601000276	TE2601000276	TE2601000277	TE2601000277
16	□	1 O-ring, FPM	TE2601000277	TE2601000282	TE2601000282	TE2601000284	TE2601000284
17	1	Circlip, inner					
18	1	Spring, wave					
19	1	Screw					
20	1	Extractor bolt	TE2601000336	TE2601000334	TE2601000334	TE2601000334	TE2601000334
21	8	Cap nut					
22	2	Pin					
23	1	Circlip, outer					
25	1	Washer					
			B35/40	B45	B45/50	B55	B55/60

Assembly Kit

□	Assembly Kit, Bearing frame B35/40, B45, B45/50, B55, B55/60	TE261304566B	TE261301100B	TE261305434A	TE261301102B	TE2613065530
---	--	--------------	--------------	--------------	--------------	--------------




Bearing frame, BC160/35, BC160D/30, BC160DH/30

Pos	Qty	Denomination	BC160/35 (right)	BC160/35 (left)	BC160D/30	BC160DH/30
1	1	Bearing frame - housing				
2	1	Drive shaft				
3	1	Coupling				
4	1	Pin				
5	2	Pin				
6	1	Tool, retainer bolt	TE2604036760	TE2604036760	TE2604036760	TE2604036760
7	☐	Spider, PUR	TE2601000351	TE2601000351	TE2601000351	TE2601000351
8	☐	Bearing	TE2601000344	TE2601000344	TE2601000127	TE2601000449
9	☐	Bearing	TE2601000345	TE2601000345	TE2601000126	TE2601000126
10	☐	PreVent valve	TE2601000362	TE2601000362	TE2601000362	TE2601000362
11	☐	Seal, radial	TE2601000320	TE2601000320	TE2601000320	TE2601000320
12	☐	O-ring, FPM	TE2601000138	TE2601000138	TE2601000138	TE2601000138
13	☐	O-ring, FPM	TE2601000139	TE2601000139	TE2601000139	TE2601000139
14	☐	O-ring, FPM	TE2601000276	TE2601000276	TE2601000276	TE2601000276
15	1	Circlip, inner				
16	1	Seeger ring				
17	1	Screw				
18	1	Extractor bolt	TE2601000331	TE2601000331	TE2601000331	TE2601000331
19	8	Cap nut				
20	1	Circlip, outer				
22	7	Circlip, outer				
23	1	Circlip, inner				

BC160/35 (right)	BC160/35 (left)	BC160D/30	BC160DH/30
---------------------	-----------------	-----------	------------

Assembly Kit

☐	Assembly Kit, Bearing frame BC160/35, BC160D/30, BC160DH/30	TE261303783B	TE261303783B	TE261303672B	TE2613071680
--------------------------	--	--------------	--------------	--------------	--------------




Shaft seal, type D

Pos	Qty	Denomination	size: Ø30	size: Ø40
1	♦	1 Seal, C/SiC, EPDM	TE2608041570	TE2608012850
	★	1 Seal, SiC/SiC, EPDM	TE2608037220	TE2608045750
	□	1 Seal, C/SiC, FPM	TE2608058650	TE2608084680
	○	1 Seal, SiC/SiC, FPM	TE2608049740	TE2608049390
2	♦★	1 Seal, C/SiC, EPDM	TE2608041570	TE2608012850
	□○	1 Seal, C/SiC, FPM	TE2608058650	TE2608084680
3		1 Ring, counter**		
4		1 Ring, counter		
5		4 Pin		
6		1 Screw, pointed		
7	□○	1 O-ring, FPM	TE2601000411	TE2601000040
	♦★	1 O-ring, EPDM	TE2601000001	TE2601000424
8	□○	1 O-ring, FPM	TE2601000450	TE2601000403
	♦★	1 O-ring, EPDM	TE2601000387	TE2601000392
9		1 Spacer, (15mm)		
		1 Spacer, (14mm)		
		1 Spacer, (1mm)		
10		2 Flush, connection 1/2"-14 BSP		
11		4 Stud		
12		4 Nut		
13		1 Seal housing		
14		1 Oil trap		
15	□♦○★	2 O-ring, FPM	TE2601000287	TE2601000292

**Welded onto shaft - maintenance must be carried out by Alfa Laval.

		Ø30	Ø40
Seal kits			
□	Seal Kit, D, C/SiC-C/SiC, FPM	TE2613000121	TE2613000122
♦	Seal Kit, D, C/SiC-C/SiC, EPDM	TE2613000123	TE2613000124
○	Seal Kit, D, SiC/SiC-C/SiC, FPM	TE2613000125	TE2613000126
★	Seal Kit, D, SiC/SiC-C/SiC, EPDM	TE2613000127	TE2613000128



Shaft seal, type DC

Pos	Qty	Denomination	size: Ø30	size: Ø35	size: Ø40	size: Ø45
1	□	1 DC seal, C/SiC-C/SiC, EPDM	TE2602000224	TE2602000236	TE2602000091	TE2602000075
	◆	1 DC seal, C/SiC-C/SiC, FPM	TE2602000228	TE2602000239	TE2602000242	TE2602000203
	○	1 DC seal, SiC/SiC-C/SiC, EPDM	TE2602000225	TE2602000237	TE2602000241	TE2602000244
	★	1 DC seal, SiC/SiC-C/SiC, FPM	TE2602000229	TE2602000240	TE2602000243	TE2602000247
2		2 Flush, connection 1/2"-14 BSP	TE2602029060	TE2602029060	TE2602055590	TE2602055590
3		4 Cap nut, M10	TE2601000195	TE2601000195		
		4 Cap nut, M12		TE2601000261	TE2601000261	TE2601000261
4		4 Washer, M10	TE2601000346	TE2601000346		
		4 Washer, M12		TE2601000347	TE2601000347	TE2601000347
5		4 Stud, M10	TE2601000308	TE2601000308		
		4 Stud, M12		TE2601000593	TE2601000593	TE2601000593
6		1 Oil trap	TE2604061570	TE2604059350	TE2604055860	TE2604040440
7	□◆○★	2 O-ring, FPM	TE2601000287	TE2601000289	TE2601000292	TE2601000293
			size: Ø30	size: Ø35	size: Ø40	size: Ø45


Seal kits

□	Seal Kit, DC, C/SiC-C/SiC, EPDM	TE2613000137	TE2613000138	TE2613000139	TE2613000140
◆	Seal Kit, DC, C/SiC-C/SiC, FPM	TE2613000144	TE2613000145	TE2613000146	TE2613000147
○	Seal Kit, DC, SiC/SiC-C/SiC, EPDM	TE2613000151	TE2613000152	TE2613000153	TE2613000154
★	Seal Kit, DC, SiC/SiC-C/SiC, FPM	TE2613000158	TE2613000159	TE2613000160	TE2613000161

Pos	Qty	Denomination	size: Ø50	size: Ø55	size: Ø60	size: Ø70
1	□	1 DC seal, C/SiC-C/SiC, EPD	TE2602000189	TE2602000251	TE2602000257	TE2602000272
	◆	1 DC seal, C/SiC-C/SiC, FPM	TE2602000249	TE2602000255	TE2602000260	TE2602000276
	○	1 DC seal, SiC/SiC-C/SiC, EPD	TE2602000248	TE2602000252	TE2602000202	TE2602000273
	★	1 DC seal, SiC/SiC-C/SiC, FPM	TE2602000250	TE2602000256	TE2602000261	TE2602000277
2		2 Flush, connection 1/2"-14 BSP	TE2602055590	TE2602055590	TE2602055590	TE2602055590
3		4 Cap nut, M12	TE2601000261	TE2601000261	TE2601000261	TE2601000261
4		4 Washer, M12	TE2601000347			
		4 Washer, special		TE2607014100	TE2607014100	TE2607014100
5		4 Stud, M12	TE2601000593	TE2601000593	TE2601000593	TE2601000593
6		1 Oil trap	TE2604039770	TE2604034420	TE2604053450	TE2604076710
7	□◆○★	2 O-ring, FPM	TE2601000294	TE2601000295	TE2601000297	TE2601000039
			size: Ø50	size: Ø55	size: Ø60	size: Ø70

Seal kits

□	Seal Kit, DC, C/SiC-C/SiC, EPDM	TE2613000141	TE2613000142	TE2613000143	9615478601
◆	Seal Kit, DC, C/SiC-C/SiC, FPM	TE2613000148	TE2613000149	TE2613000150	9615478701
○	Seal Kit, DC, SiC/SiC-C/SiC, EPDM	TE2613000155	TE2613000156	TE2613000157	9615478801
★	Seal Kit, DC, SiC/SiC-C/SiC, FPM	TE2613000162	TE2613000163	TE2613000164	9615478901




Shaft seal, type S1

Pos	Qty	Denomination	size: Ø30	size: Ø35	size: Ø40	size: Ø45
1	□	1 S1 seal, SiC/SiC, EPDM	TE2602000047	TE2602000048	TE2602000056	TE2602000xxx
	◆	1 S1 seal, C/SiC, EPDM	TE2602000053	TE2602000054	TE2602000057	TE2602000055
	○	1 S1 seal, SiC/SiC, FPM	TE2602000081	TE2602000082	TE2602000083	TE2602000xxx
	★	1 S1 seal, C/SiC, FPM	TE2602000084	TE2602000085	TE2602000086	TE2602000291
2		1 Ring, retainer				
3	○★	1 O-ring, FPM	TE2601000411	TE2601000290	TE2601000133	TE2601000040
	□◆	1 O-ring, EPDM	TE2601000001	TE2601000042	TE2601000375	TE2601000424
4		1 Oil / Fluid trap				
		1 Oil / Fluid trap , (BC160/35)				
5	□◆○★	2 O-ring, FPM	TE2601000287	TE2601000289	TE2601000292	TE2601000293

Seal Kits for: Shaft seal type S1

		size: Ø30	size: Ø35	size: Ø40	size: Ø45
Seal Kits					
□	Seal Kit, S1, SiC/SiC, EPDM	TE2613000050	TE2613000051	TE2613000052	TE2613000053
◆	Seal Kit, S1, C/SiC, EPDM	TE2613000054	TE2613000055	TE2613000056	TE2613000057
○	Seal Kit, S1, SiC/SiC, FPM	TE2613000058	TE2613000059	TE2613000060	TE2613000061
★	Seal Kit, S1, C/SiC, FPM	TE2613000062	TE2613000063	TE2613000064	TE2613000065




Shaft seal, type S2

Pos	Qty	Denomination	size: Ø30	size: Ø40
1	□	1 S2 seal, C/SiC, EPDM	TE2608041570	TE2608012850
	◆	1 S2 seal, SiC/SiC, EPDM	TE2608037220	TE2608045750
	○	1 S2 seal, C/SiC, FPM	TE2608058650	TE2608084680
	★	1 S2 seal, SiC/SiC, FPM	TE2608049740	TE2608049390
2		1 Ring, counter**		
3		2 Pin		
4		1 Ring, retainer		
5		4 Screw		
6		1 Oil / Fluid trap		
7	□◆○★	2 O-ring, FPM	TE2601000287	TE2601000292
8		1 Spacer		

** Welded onto shaft - maintenance must be carried out by Alfa Laval.

		size: Ø30	size: Ø40
Seal kits			
□	Seal Kit, S2, C/SiC, EPDM	TE2613000066	TE2613000068
◆	Seal Kit, S2, SiC/SiC, EPDM	TE2613000067	TE2613000069
○	Seal Kit, S2, C/SiC, FPM	TE2613000070	TE2613000072
★	Seal Kit, S2, SiC/SiC, FPM	TE2613000071	TE2613000074



Shaft seal, type S3

Pos	Qty	Denomination	size: Ø30	size: Ø35	size: Ø40	size: Ø45
1	□	1 S3 seal, C/SiC, EPDM	TE2608000017	TE2608000010	TE2608000024	TE2608000026
	♦	1 S3 seal, C/SiC, FPM	TE2608000018	TE2608000013	TE2608000003	TE2608000027
2		1 Oil trap				
		1 Oil trap, (BC160/35)				
3	□♦	2 O-ring, FPM	TE2601000287	TE2601000289	TE2601000292	TE2601000293
4		1 Locking pin	TE2601000428	TE2601000428	TE2601000428	TE2601000428
5		1 Locking plate	TE2604089540	TE2604089540	TE2604089540	TE2604089540
6		1 Screw	TE2601000572	TE2601000572	TE2601000572	TE2601000572
			size: Ø30	size: Ø35	size: Ø40	size: Ø45


Seal Kits

□	Seal Kit, S3, C/SiC, EPDM	TE2613000087	TE2613000090	TE2613000091	TE2613000093
♦	Seal Kit, S3, C/SiC, FPM	TE2613000104	TE2613000106	TE2613000107	TE2613000108

Pos	Qty	Denomination	size: Ø50	size: Ø55	size: Ø60	size: Ø65
1	□	1 S3 seal, C/SiC, EPDM	TE2608000028	TE2608000031	TE2608000030	TE2608000034
	♦	1 S3 seal, C/SiC, FPM	TE2608000029	TE2608000032	TE2608000033	TE2608000060
2		1 Oil trap				
3	□♦	2 O-ring, FPM	TE2601000294	TE2601000295	TE2601000297	TE2601000059
4		1 Locking pin	TE2601000428	TE2601000428	TE2601000428	TE2601000428
5		1 Locking plate	TE2604089540	TE2604089540	TE2604089540	TE2604089540
6		1 Screw	TE2601000572	TE2601000572	TE2601000572	TE2601000572
			size: Ø50	size: Ø55	size: Ø60	size: Ø65

Seal Kits

□	Seal Kit, S3, C/SiC, EPDM	TE2613000095	TE2613000096	TE2613000098	TE2613000099
♦	Seal Kit, S3, C/SiC, FPM	TE2613000109	TE2613000110	TE2613000112	TE2613000113



Shaft seal, type S3

Pos	Qty	Denomination	size: Ø70	size: Ø75	size: Ø80	size: Ø90
1	□	1 S3 seal,, C/SiC, EPDM	TE2608000036	TE2608000038	TE2608000040	TE2608000044
	♦	1 S3 seal, C/SiC, FPM	TE2608000037	TE2608000039	TE2608000041	TE2608000045
2		1 Oil trap				
3	□♦	2 O-ring, FPM	TE2601000039	TE2601000403	TE2601000151	TE2601000097
4		1 Locking pin	TE2601000428	TE2601000428	TE2601000428	TE2601000428
5		1 Locking plate	TE2604089540	TE2604089540	TE2604089540	TE2604089540
6		1 Screw	TE2601000572	TE2601000572	TE2601000572	TE2601000572
			size: Ø70	size: Ø75	size: Ø80	size: Ø90

Seal Kits

□	Seal Kit, S3, C/SiC, EPDM	TE2613000100	TE2613000101	TE2613000102	TE2613000103
♦	Seal Kit, S3, C/SiC, FPM	TE2613000116	TE2613000117	TE2613000118	TE2613000120

How to contact Alfa Laval

Contact details for all countries are continually updated on our website.

Please visit www.alfalaval.com to access the information directly.

© Alfa Laval Corporate AB

This document and its contents is owned by Alfa Laval Corporate AB and protected by laws governing intellectual property and thereto related rights. It is the responsibility of the user of this document to comply with all applicable intellectual property laws. Without limiting any rights related to this document, no part of this document may be copied, reproduced or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), or for any purpose, without the expressed permission of Alfa Laval Corporate AB. Alfa Laval Corporate AB will enforce its rights related to this document to the fullest extent of the law, including the seeking of criminal prosecution.