




Spare Parts

Unique Single Seat Valve Aseptic - Manually Operated



ESE02404-EN2

2013-07

Original manual

The information herein is correct at the time of issue but may be subject to change without prior notice


1. Unique SSV - Aseptic Manual Regulating Valve 4

2. Unique SSV - Aseptic Manually Operated Shut Off Valve 6

3. Unique SSV - Aseptic Manually Operated Change Over Valve 10

4. Unique SSV - Aseptic Manual Tank Outlet Valve 14

5. Unique SSV - Aseptic Manually Operated - Mounting Tools 16



* = Disc not used on DN40/38 mm

Unique SSV - Aseptic Manual Regulating Valve

Pos	Qty	Denomination	DN40 38 mm	DN50 51 mm	DN65 63.5 mm	DN80 76.1 mm	DN100 101.6 mm
Actuator							
		Crank mechanism complete	9613-1820-01	9613-1820-02	9613-1820-03	9613-1820-04	9613-1820-05
1	1	Crank	31353-0462-1	31353-0462-1	31353-0462-1	31353-0462-1	31353-0462-1
3	1	Cap	31353-0468-1	31353-0468-1	31353-0468-1	31353-0468-1	31353-0468-1
4	1	Washer	31353-0467-1	31353-0467-1	31353-0467-1	31353-0467-1	31353-0467-1
7	2	Set screw	221581-92	221581-92	221581-92	221581-92	221581-92
10	1	Lock screw	31353-0529-1	31353-0529-1	31353-0529-1	31353-0529-1	31353-0529-1
11	1	Lip seal, HNBR	9613-1205-02	9613-1205-02	9613-1205-02	9613-1205-02	9613-1205-02
12	1	Bushing	9613-1250-02	9613-1250-02	9613-1250-02	9613-1250-02	9613-1250-02
13	1	Spring pin	9611-99-2969	9611-99-2969	9611-99-2969	9611-99-2969	9611-99-2969
14	1	Upper spindle	9613-1219-01	9613-1818-01	9613-1818-01	9613-1818-01	9613-1818-01
15	1	Plug	9613-4141-01	9613-4141-01	9613-4141-01	9613-4141-01	9613-4141-01
16	1	Stem extension	9613-1218-01	9613-1218-01	9613-1218-01	9613-1218-01	9613-1218-01
17	1	Sealing element	9613-1813-01	9613-1814-01	9613-1815-01	9613-1816-01	9613-1817-01
Clamp							
19	1	Clamp	9612-9393-03	9612-9393-04	9612-9393-05	9612-9393-06	9612-9393-07
29 ♦	1	Diaphragm	9614-0594-37	9614-0594-38	9614-0594-39	9614-0594-40	9614-0594-41
		Diaphragm set, (10 pcs.)					
30	1	Disc for diaphragm		9613-1441-01	9613-1442-01	9613-1443-01	9613-1443-01
Valve Body (lower)							
22	1	Valve body, 2 ports, ISO	9613-1395-03	9613-1395-05	9613-1395-07	9613-1395-09	9613-1395-11
	1	Valve body, 3 ports, ISO	9613-1395-04	9613-1395-06	9613-1395-08	9613-1395-10	9613-1395-12
	1	Valve body, 2 ports, DIN	9613-1396-03	9613-1396-05	9613-1396-07	9613-1396-09	9613-1396-11
	1	Valve body, 3 ports, DIN	9613-1396-04	9613-1396-06	9613-1396-08	9613-1396-10	9613-1396-12
Valve Plug (regulating)							
23	1	Plug, complete, ISO, EPDM (standard)	9613-1220-01	9613-1220-02	9613-1220-03	9613-1220-04	9613-1220-05
	1	Plug, complete, ISO, HNBR	9613-1220-06	9613-1220-07	9613-1220-08	9613-1220-09	9613-1220-10
	1	Plug, complete, ISO, FPM	9613-1220-11	9613-1220-12	9613-1220-13	9613-1220-14	9613-1220-15
	1	Plug, complete, DIN, EPDM (standard)	9613-1220-16	9613-1220-17	9613-1220-18	9613-1220-19	9613-1220-20
	1	Plug, complete, DIN, HNBR	9613-1220-21	9613-1220-22	9613-1220-23	9613-1220-24	9613-1220-25
	1	Plug, complete, DIN, FPM	9613-1220-26	9613-1220-27	9613-1220-28	9613-1220-29	9613-1220-30
23.1	1	Plug, ISO	9613-1255-01	9613-1213-01	9613-1213-02	9613-1213-03	9613-1213-04
	1	Plug, DIN	9613-1255-02	9613-1213-05	9613-1213-06	9613-1213-07	9613-1213-08
23.2♦	1	Plug seal, EPDM (standard)	9614-0594-04	9614-0594-07	9614-0594-10	9614-0594-13	9614-0594-16
♦	1	Plug seal, HNBR					
♦	1	Plug seal, FPM					
		Plug seal set, 10 pcs., EPDM					
		Plug seal set, 10 pcs., HNBR	9614-0594-05	9614-0594-08	9614-0594-11	9614-0594-14	9614-0594-17
		Plug seal set, 10 pcs., FPM	9614-0594-06	9614-0594-09	9614-0594-12	9614-0594-15	9614-0594-18

Recommended spare parts: service kits


Service kits

		DN40 38 mm	DN50 51 mm	DN65 63.5 mm	DN80 76.1 mm	DN100 101.6 mm
♦	Service kit, EPDM	9611-92-6544	9611-92-6545	9611-92-6546	9611-92-6547	9611-92-6548
♦	Service kit, HNBR	9611-92-6550	9611-92-6551	9611-92-6552	9611-92-6553	9611-92-6554
♦	Service kit, FPM	9611-92-6556	9611-92-6557	9611-92-6558	9611-92-6559	9611-92-6560

Parts marked with ♦ are included in the service kits (product wetted parts)

Tool for bushing (pos. 12) 9613-1609-01

TD900-656




* = Disc not used on DN25/25 mm and DN40/38 mm

Unique SSV - Aseptic Manually Operated Shut Off Valve

Pos	Qty	Denomination	DN25 25 mm	DN40 38 mm	DN50 51 mm	DN65 63.5 mm	DN80 76.1 mm	DN100 101.6 mm
Actuator								
		Crank mechanism complete	9613-1820-01	9613-1820-01	9613-1820-02	9613-1820-03	9613-1820-04	9613-1820-05
1	1	Crank	31353-0462-1	31353-0462-1	31353-0462-1	31353-0462-1	31353-0462-1	31353-0462-1
3	1	Cap	31353-0468-1	31353-0468-1	31353-0468-1	31353-0468-1	31353-0468-1	31353-0468-1
4	1	Washer	31353-0467-1	31353-0467-1	31353-0467-1	31353-0467-1	31353-0467-1	31353-0467-1
7	2	Set screw	221581-92	221581-92	221581-92	221581-92	221581-92	221581-92
10	1	Lock screw	31353-0529-1	31353-0529-1	31353-0529-1	31353-0529-1	31353-0529-1	31353-0529-1
11	1	Lip seal, HNBR	9613-1205-02	9613-1205-02	9613-1205-02	9613-1205-02	9613-1205-02	9613-1205-02
12	1	Bushing	9613-1250-02	9613-1250-02	9613-1250-02	9613-1250-02	9613-1250-02	9613-1250-02
13	1	Spring pin	9611-99-2969	9611-99-2969	9611-99-2969	9611-99-2969	9611-99-2969	9611-99-2969
14	1	Upper spindle	9613-1219-01	9613-1219-01	9613-1818-01	9613-1818-01	9613-1818-01	9613-1818-01
15	1	Plug	9613-4141-01	9613-4141-01	9613-4141-01	9613-4141-01	9613-4141-01	9613-4141-01
16	1	Stem extension	9613-1218-01	9613-1218-01	9613-1218-01	9613-1218-01	9613-1218-01	9613-1218-01
17	1	Sealing element	9613-1813-01	9613-1813-01	9613-1814-01	9613-1815-01	9613-1816-01	9613-1817-01
Clamp								
19	1	Clamp	9612-9393-03	9612-9393-03	9612-9393-04	9612-9393-05	9612-9393-06	9612-9393-07
29 ♦	1	Diaphragm						
		Diaphragm set, 10 pcs.	9614-0594-37	9614-0594-37	9614-0594-38	9614-0594-39	9614-0594-40	9614-0594-41
30	1	Disc for diaphragm			9613-1441-01	9613-1442-01	9613-1443-01	9613-1443-01
Tangential only								
21 ♦	1	O-ring, EPDM (standard) ...						
♦	1	O-ring, HNBR						
♦	1	O-ring, FPM						
		O-ring set, 10 pcs., EPDM .	9614-0594-22	9614-0594-22	9614-0594-25	9614-0594-28	9614-0594-31	9614-0594-34
		O-ring set, 10 pcs., HNBR .	9614-0594-23	9614-0594-23	9614-0594-26	9614-0594-29	9614-0594-32	9614-0594-35
		O-ring set, 10 pcs., FPM ...	9614-0594-24	9614-0594-24	9614-0594-27	9614-0594-30	9614-0594-33	9614-0594-36
Valve body standard (lower)								
22	1	Valve body, 2 ports, ISO	9613-1395-01	9613-1395-03	9613-1395-05	9613-1395-07	9613-1395-09	9613-1395-11
	1	Valve body, 3 ports, ISO	9613-1395-02	9613-1395-04	9613-1395-06	9613-1395-08	9613-1395-10	9613-1395-12
	1	Valve body, 2 ports, DIN	9613-1396-01	9613-1396-03	9613-1396-05	9613-1396-07	9613-1396-09	9613-1396-11
	1	Valve body, 3 ports, DIN	9613-1396-02	9613-1396-04	9613-1396-06	9613-1396-08	9613-1396-10	9613-1396-12
(Valve body tangential (welding ends))								
26	1	Valve body, 1 port, ISO			9613-4448-01	9613-4448-03	9613-4448-05	9613-4448-07
	1	Valve body, 2 ports, ISO			9613-4448-02	9613-4448-04	9613-4448-06	9613-4448-08
63	1	Port seal element, ISO			9634-0711-01	9634-0712-01	9634-0713-01	9634-0714-01
Valve Plug (shut off)								
23	1	Plug, complete, ISO, EPDM (standard)	9613-1221-01	9613-1221-02	9613-1221-03	9613-1221-04	9613-1221-05	9613-1221-06
	1	Plug, complete, ISO, HNBR	9613-1221-07	9613-1221-08	9613-1221-09	9613-1221-10	9613-1221-11	9613-1221-12
	1	Plug, complete, ISO, FPM ...	9613-1221-13	9613-1221-14	9613-1221-15	9613-1221-16	9613-1221-17	9613-1221-18
	1	Plug, complete, DIN, EPDM (standard)	9613-1221-19	9613-1221-20	9613-1221-21	9613-1221-22	9613-1221-23	9613-1221-24
	1	Plug, complete, DIN, HNBR	9613-1221-25	9613-1221-26	9613-1221-27	9613-1221-28	9613-1221-29	9613-1221-30
	1	Plug, complete, DIN, FPM ..	9613-1221-31	9613-1221-32	9613-1221-33	9613-1221-34	9613-1221-35	9613-1221-36
23.1	1	Plug, ISO	9613-1435-01	9613-1445-01	9613-1434-01	9613-1434-02	9613-1434-03	9613-1434-04
	1	Plug, DIN	9613-1435-02	9613-1445-02	9613-1434-05	9613-1434-06	9613-1434-07	9613-1434-08
23.2♦	1	Plug seal, EPDM (standard)						
♦	1	Plug seal, HNBR						
♦	1	Plug seal, FPM						
		Plug seal set, 10 pcs., EPDM	9614-0594-01	9614-0594-04	9614-0594-07	9614-0594-10	9614-0594-13	9614-0594-16
		Plug seal set, 10 pcs., HNBR	9614-0594-02	9614-0594-05	9614-0594-08	9614-0594-11	9614-0594-14	9614-0594-17
		Plug seal set, 10 pcs., FPM	9614-0594-03	9614-0594-06	9614-0594-09	9614-0594-12	9614-0594-15	9614-0594-18

Recommended spare parts: service kits



* = Disc not used on DN25/25 mm and DN40/38 mm

Unique SSV - Aseptic Manually Operated Shut Off Valve

Service kits

	DN25 25 mm	DN40 38 mm	DN50 51 mm	DN65 63.5 mm	DN80 76.1 mm	DN100 101.6 mm
--	---------------	---------------	---------------	-----------------	-----------------	-------------------

Standard

♦	Service kit, EPDM	9611-92-6543	9611-92-6544	9611-92-6545	9611-92-6546	9611-92-6547	9611-92-6548
♦	Service kit, HNBR	9611-92-6549	9611-92-6550	9611-92-6551	9611-92-6552	9611-92-6553	9611-92-54
♦	Service kit, FPM	9611-92-6555	9611-92-6556	9611-92-6557	9611-92-6558	9611-92-6559	9611-92-6560


Tangential only

♦	Service kit, EPDM	9611-92-6909	9611-92-6910	9611-92-6911	9611-92-6912	9611-92-6913	9611-92-6914
♦	Service kit, HNBR	9611-92-6915	9611-92-6916	9611-92-6917	9611-92-6918	9611-92-6919	9611-92-6920
♦	Service kit, FPM	9611-92-6921	9611-92-6922	9611-92-6923	9611-92-6924	9611-92-6925	9611-92-6926

Parts marked with ♦ are included in the service kits (product wetted parts)

Tool for bushing (pos. 12) 9613-1609-01

TD900-654




* = Disc not used on DN25/25 mm and DN40/38 mm

Unique SSV - Aseptic Manually Operated Change Over Valve

Pos	Qty	Denomination	DN25 25 mm	DN40 38 mm	DN50 51 mm	DN65 63.5 mm	DN80 76.1 mm	DN100 101.6 mm
Actuator								
		Crank mechanism complete	9613-1820-01	9613-1820-01	9613-1820-02	9613-1820-03	9613-1820-04	9613-1820-05
1	1	Crank	31353-0462-1	31353-0462-1	31353-0462-1	31353-0462-1	31353-0462-1	31353-0462-1
3	1	Cap	31353-0468-1	31353-0468-1	31353-0468-1	31353-0468-1	31353-0468-1	31353-0468-1
4	1	Washer	31353-0467-1	31353-0467-1	31353-0467-1	31353-0467-1	31353-0467-1	31353-0467-1
7	2	Set screw	221581-92	221581-92	221581-92	221581-92	221581-92	221581-92
10	1	Lock screw	31353-0529-1	31353-0529-1	31353-0529-1	31353-0529-1	31353-0529-1	31353-0529-1
11	1	Lip seal, HNBR	9613-1205-02	9613-1205-02	9613-1205-02	9613-1205-02	9613-1205-02	9613-1205-02
12	1	Bushing	9613-1250-02	9613-1250-02	9613-1250-02	9613-1250-02	9613-1250-02	9613-1250-02
13	1	Spring pin	9611-99-2969	9611-99-2969	9611-99-2969	9611-99-2969	9611-99-2969	9611-99-2969
14	1	Upper spindle	9613-1219-01	9613-1219-01	9613-1818-01	9613-1818-01	9613-1818-01	9613-1818-01
15	1	Plug	9613-4141-01	9613-4141-01	9613-4141-01	9613-4141-01	9613-4141-01	9613-4141-01
16	1	Stem extension	9613-1218-01	9613-1218-01	9613-1218-01	9613-1218-01	9613-1218-01	9613-1218-01
17	1	Sealing element	9613-1813-01	9613-1813-01	9613-1814-01	9613-1815-01	9613-1816-01	9613-1817-01
Clamp								
19	2	Clamp	9612-9393-03	9612-9393-03	9612-9393-04	9612-9393-05	9612-9393-06	9612-9393-07
29 ♦	1	Diaphragm						
		Diaphragm set, 10 pcs.	9614-0594-37	9614-0594-37	9614-0594-38	9614-0594-39	9614-0594-40	9614-0594-41
30	1	Disc for diaphragm			9613-1441-01	9613-1442-01	9613-1443-01	9613-1443-01
21 ♦	2	O-ring, EPDM (standard) ...						
♦	2	O-ring, HNBR						
♦	2	O-ring, FPM						
	3	O-ring, EPDM (standard) - Tangential only						
	3	O-ring, HNBR - Tangential only						
	3	O-ring, FPM - Tangential only						
		O-ring set, 10 pcs.. EPDM ..	9614-0594-22	9614-0594-22	9614-0594-25	9614-0594-28	9614-0594-31	9614-0594-34
		O-ring set, 10 pcs. HNBR ..	9614-0594-23	9614-0594-23	9614-0594-26	9614-0594-29	9614-0594-32	9614-0594-35
		O-ring set, 10 pcs.. FPM ...	9614-0594-24	9614-0594-24	9614-0594-27	9614-0594-30	9614-0594-33	9614-0594-36
Seat								
28	1	Seat	9613-1275-01	9613-1275-02	9613-1275-03	9613-1275-04	9613-1275-05	9613-1275-06
Valve Body (upper)								
26	1	Valve body, 1 port, ISO	9613-1393-01	9613-1393-03	9613-1393-05	9613-1393-07	9613-1393-09	9613-1393-11
	1	Valve body, 2 ports, ISO	9613-1393-02	9613-1393-04	9613-1393-06	9613-1393-08	9613-1393-10	9613-1393-12
	1	Valve body, 1 port, DIN	9613-1394-01	9613-1394-03	9613-1394-05	9613-1394-07	9613-1394-09	9613-1394-11
	1	Valve body, 2 ports, DIN	9613-1394-02	9613-1394-04	9613-1394-06	9613-1394-08	9613-1394-10	9613-1394-12
Valve body (lower)								
22	1	Valve body, 2 ports, ISO	9613-1395-01	9613-1395-03	9613-1395-05	9613-1395-07	9613-1395-09	9613-1395-11
	1	Valve body, 3 ports, ISO	9613-1395-02	9613-1395-04	9613-1395-06	9613-1395-08	9613-1395-10	9613-1395-12
	1	Valve body, 2 ports, DIN	9613-1396-01	9613-1396-03	9613-1396-05	9613-1396-07	9613-1396-09	9613-1396-11
	1	Valve body, 3 ports, DIN	9613-1396-02	9613-1396-04	9613-1396-06	9613-1396-08	9613-1396-10	9613-1396-12
(Valve body tangential (welding ends))								
26	2	Valve body, 1 port, ISO			9613-4448-01	9613-4448-03	9613-4448-05	9613-4448-07
	2	Valve body, 2 ports, ISO			9613-4448-02	9613-4448-04	9613-4448-06	9613-4448-08
63	1	Port seal element, ISO			9634-0711-01	9634-0712-01	9634-0713-01	9634-0714-01
Valve Plug (change over)								
27	1	Plug, complete, ISO, EPDM (standard)	9613-1223-01	9613-1223-02	9613-1223-03	9613-1223-04	9613-1223-05	9613-1223-06
	1	Plug, complete, ISO, HNBR	9613-1223-07	9613-1223-08	9613-1223-09	9613-1223-10	9613-1223-11	9613-1223-12
	1	Plug, complete, ISO, FPM ..	9613-1223-13	9613-1223-14	9613-1223-15	9613-1223-16	9613-1223-17	9613-1223-18
	1	Plug, complete, DIN, EPDM (standard)	9613-1223-19	9613-1223-20	9613-1223-21	9613-1223-22	9613-1223-23	9613-1223-24
	1	Plug, complete, DIN, complete, HNBR	9613-1223-25	9613-1223-26	9613-1223-27	9613-1223-28	9613-1223-29	9613-1223-30
	1	Plug, complete, DIN, FPM ..	9613-1223-31	9613-1223-32	9613-1223-33	9613-1223-34	9613-1223-35	9613-1223-36
27.1	1	Plug, ISO	9613-1436-01	9613-1439-01	9613-1439-02	9613-1439-03	9613-1439-04	9613-1439-05
	1	Plug, DIN	9613-1436-02	9613-1439-06	9613-1439-07	9613-1439-08	9613-1439-09	9613-1439-10
27.2 ♦	2	Plug seal, EPDM (standard)						
♦	2	Plug seal, HNBR						
♦	2	Plug seal, FPM						
		Plug seal set, 10 pcs., EPDM	9614-0594-01	9614-0594-04	9614-0594-07	9614-0594-10	9614-0594-13	9614-0594-16
		Plug seal set, 10 pcs., HNBR	9614-0594-02	9614-0594-05	9614-0594-08	9614-0594-11	9614-0594-14	9614-0594-17
		Plug seal set, 10 pcs., FPM	9614-0594-03	9614-0594-06	9614-0594-09	9614-0594-12	9614-0594-15	9614-0594-18

Recommended spare parts: service kits



* = Disc not used on DN25/25 mm and DN40/38 mm

Unique SSV - Aseptic Manually Operated Change Over Valve

Service kits

		DN25 25 mm	DN40 38 mm	DN50 51 mm	DN65 63.5 mm	DN80 76.1 mm	DN100 101.6 mm
♦	Service kit, EPDM	9611-92-6615	9611-92-6616	9611-92-6617	9611-92-6618	9611-92-6619	9611-92-6620
♦	Service kit, HNBR	9611-92-6621	9611-92-6622	9611-92-6623	9611-92-6624	9611-92-6625	9611-92-6626
♦	Service kit, FPM	9611-92-6627	9611-92-6628	9611-92-6629	9611-92-6630	9611-92-6631	9611-92-6632


Tangential only

♦	Service kit, EPDM	9611-92-6927	9611-92-6928	9611-92-6929	9611-92-6930	9611-92-6931	9611-92-6932
♦	Service kit, HNBR	9611-92-6933	9611-92-6934	9611-92-6935	9611-92-6936	9611-92-6937	9611-92-6938
♦	Service kit, FPM	9611-92-6939	9611-92-6940	9611-92-6941	9611-92-6942	9611-92-6943	9611-92-6944

Parts marked with ♦ are included in the service kits (product wetted parts)

Tool for bushing (pos. 12) 9613-1609-01

TD900-654



Unique SSV - Aseptic Manual Tank Outlet Valve

Pos	Qty	Denomination	DN50 51 mm	DN65 63.5 mm	DN80 76.1 mm	DN100 101.6 mm
Actuator						
		Crank mechanism complete	9613-1820-02	9613-1820-03	9613-1820-04	9613-1820-05
1	1	Crank	31353-0462-1	31353-0462-1	31353-0462-1	31353-0462-1
3	1	Cap	31353-0468-1	31353-0468-1	31353-0468-1	31353-0468-1
4	1	Washer	31353-0467-1	31353-0467-1	31353-0467-1	31353-0467-1
7	2	Set screw	221581-92	221581-92	221581-92	221581-92
10	1	Lock screw	31353-0529-1	31353-0529-1	31353-0529-1	31353-0529-1
11	1	Lip seal, HNBR	9613-1205-02	9613-1205-02	9613-1205-02	9613-1205-02
12	1	Bushing	9613-1250-02	9613-1250-02	9613-1250-02	9613-1250-02
13	1	Spring pin	9611-99-2969	9611-99-2969	9611-99-2969	9611-99-2969
14	1	Upper spindle	9613-1818-01	9613-1818-01	9613-1818-01	9613-1818-01
15	1	Plug	9613-4141-01	9613-4141-01	9613-4141-01	9613-4141-01
16	1	Stem extension	9613-1218-01	9613-1218-01	9613-1218-01	9613-1218-01
17	1	Sealing element	9613-1814-01	9613-1815-01	9613-1816-01	9613-1817-01
Clamp						
19	1	Clamp	9612-9393-04	9612-9393-05	9612-9393-06	9612-9393-07
21	♦	2 O-ring, EPDM (standard)				
	♦	2 O-ring, HNBR				
	♦	2 O-ring, FPM				
		O-ring set, 10 pcs., EPDM	9614-0594-25	9614-0594-28	9614-0594-31	9614-0594-34
		O-ring set, 10 pcs., HNBR	9614-0594-26	9614-0594-29	9614-0594-32	9614-0594-35
		O-ring set, 10 pcs., FPM	9614-0594-27	9614-0594-30	9614-0594-33	9614-0594-36
29	♦	1 Diaphragm				
		Diaphragm set, 10 pcs.	9614-0594-38	9614-0594-39	9614-0594-40	9614-0594-41
30	1	Disc for diaphragm	9613-1441-01	9613-1442-01	9613-1443-01	9613-1443-01
Valve body standard (upper)						
26	1	Valve body, 1 port, ISO	9613-1393-05	9613-1393-07	9613-1393-09	9613-1393-11
	1	Valve body, 2 ports, ISO	9613-1393-06	9613-1393-08	9613-1393-10	9613-1393-12
	1	Valve body, 1 port, DIN	9613-1394-05	9613-1394-07	9613-1394-09	9613-1394-11
	1	Valve body, 2 ports, DIN	9613-1394-06	9613-1394-08	9613-1394-10	9613-1394-12
(Valve body tangential (welding ends))						
	1	Valve body, 1 port, ISO	9613-4448-01	9613-4448-03	9613-4448-05	9613-4448-07
	1	Valve body, 2 ports, ISO	9613-4448-02	9613-4448-04	9613-4448-06	9613-4448-08
Seat						
28	1	Seat	9613-1275-03	9613-1275-04	9613-1275-05	9613-1275-06
Tank flange						
40	1	Tank flange	9634-0699-01	9634-0700-01	9634-0701-01	9634-0702-01
Valve Plug (shut off)						
23	1	Plug, complete, ISO, EPDM (standard)	9613-1221-03	9613-1221-04	9613-1221-05	9613-1221-06
	1	Plug, complete, ISO, HNBR	9613-1221-09	9613-1221-10	9613-1221-11	9613-1221-12
	1	Plug, complete, ISO, FPM	9613-1221-15	9613-1221-16	9613-1221-17	9613-1221-18
	1	Plug, complete, DIN, EPDM (standard)	9613-1221-21	9613-1221-22	9613-1221-23	9613-1221-24
	1	Plug, complete, DIN, HNBR	9613-1221-27	9613-1221-28	9613-1221-29	9613-1221-30
	1	Plug, complete, DIN, FPM	9613-1221-33	9613-1221-34	9613-1221-35	9613-1221-36
23.1	1	Plug, ISO	9613-1434-01	9613-1434-02	9613-1434-03	9613-1434-04
	1	Plug, DIN	9613-1434-05	9613-1434-06	9613-1434-07	9613-1434-08
23.2♦	1	Plug seal, EPDM (standard)				
	♦	1 Plug seal, HNBR				
	♦	1 Plug seal, FPM				
		Plug seal set, 10 pcs., EPDM	9614-0594-07	9614-0594-10	9614-0594-13	9614-0594-16
		Plug seal set, 10 pcs., HNBR	9614-0594-08	9614-0594-11	9614-0594-14	9614-0594-17
		Plug seal set, 10 pcs., FPM	9614-0594-09	9614-0594-12	9614-0594-15	9614-0594-18

Recommended spare parts: Service kits



Service kits

		DN50 51 mm	DN65 63.5 mm	DN80 76.1 mm	DN100 101.6 mm
♦	Service kit, EPDM	9611-92-6945	9611-92-6946	9611-92-6947	9611-92-6948
♦	Service kit, HNBR	9611-92-6949	9611-92-6950	9611-92-6951	9611-92-6952
♦	Service kit, FPM	9611-92-6953	9611-92-6954	9611-92-6955	9611-92-6946

Parts marked with ♦ are included in the service kits (product wetted parts)

Tool for bushing (pos. 12) 9613-1609-01

TD900-655



Unique SSV - Aseptic Manually Operated - Mounting Tools

Pos	Qty	Denomination	DN25-100 25-101.6 mm
1	1	Tool for bushing (pos. 24)	9613-1609-01

TD900-518

Pos	Qty	Denomination	DN25 25 mm	DN40 38 mm	DN50 51 mm	DN65 63.5 mm	DN80 76.1 mm	DN100 101.6 mm
2	1	Mounting tool for elastomer plug seals	9614-0600-01	9614-0600-02	9614-0600-03	9614-0600-03	9614-0600-04	9614-0600-04

TD900-520

How to contact Alfa Laval

Contact details for all countries are continually updated on our website.

Please visit www.alfalaval.com to access the information directly.

© Alfa Laval Corporate AB

This document and its contents is owned by Alfa Laval Corporate AB and protected by laws governing intellectual property and thereto related rights. It is the responsibility of the user of this document to comply with all applicable intellectual property laws. Without limiting any rights related to this document, no part of this document may be copied, reproduced or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), or for any purpose, without the expressed permission of Alfa Laval Corporate AB. Alfa Laval Corporate AB will enforce its rights related to this document to the fullest extent of the law, including the seeking of criminal prosecution.