





Spare Parts

Unique Single Seat Valve - Long Stroke




ESE00530-EN4

2012-01

Original manual

The information herein is correct at the time of issue but may be subject to change without prior notice

1. Unique Single Seat Valve - Long stroke Shut off valve - 38-101.6 mm/DN40-100	4
2. Unique Single Seat Valve - Long Stroke Change-over Valve - 38-101.6 mm/DN40-100 ..	6
3. Mounting Tool - Unique Single Seat Valve - Long Stroke	8



Unique Single Seat Valve - Long stroke Shut off valve - 38-101.6 mm/DN40-100

Pos	Qty	Denomination	DN 40 38 mm	DN 50 51 mm	DN 65 63.5 mm	DN 80 76.1 mm	DN 100 101.6 mm
Actuator							
		Actuator, complete (NO)	9613-1548-16	9613-1548-17	9613-1548-18	9613-1548-19	9613-1548-20
		Actuator, complete (NC)	9613-1548-21	9613-1548-22	9613-1548-23	9613-1548-24	9613-1548-25
		Actuator, complete (A/A)	9613-1548-26	9613-1548-27	9613-1548-28	9613-1548-29	9613-1548-30
5	1	Adapter, plastic	9613-1274-01	9613-1274-01	9613-1274-01	9613-1274-01	9613-1274-01
	1	Adapter, steel (Period 2009-2011)				9614-0653-01	9614-0653-01
6	□	2 Bushing					
7	□	2 O-ring					
8	□	2 O-ring					
9	1	Plug	9613-4141-01	9613-4141-01	9613-4141-01	9613-4141-01	9613-4141-01
12	1(2)	Air fitting	9611-99-1988	9611-99-1988	9611-99-1988	9611-99-1988	9611-99-1988
Clamp							
19	1	Clamp	9612-9393-03	9612-9393-04	9612-9393-05	9612-9393-06	9612-9393-07
Bonnet							
20	1	Bonnet	9613-1271-02	9613-1271-03	9613-1271-04	9613-1271-05	9613-1271-06
21	◆	1 O-ring, EPDM (standard)					
	1	O-ring, HNBR					
	1	O-ring, FPM					
		O-ring set (10 pcs.) EPDM	9614-0594-22	9614-0594-25	9614-0594-28	9614-0594-31	9614-0594-34
		O-ring set (10 pcs.) HNBR	9614-0594-23	9614-0594-26	9614-0594-29	9614-0594-32	9614-0594-35
		O-ring set (10 pcs.) FPM	9614-0594-24	9614-0594-27	9614-0594-30	9614-0594-33	9614-0594-36
24	1	Bushing	9613-1250-02	9613-1250-02	9613-1250-02	9613-1250-02	9613-1250-02
25	◆	1 Lip seal, EPDM (standard)					
	1	Lip seal, HNBR					
	1	Lip seal, FPM					
		Lip seal set (10 pcs.) EPDM	9614-0594-19	9614-0594-19	9614-0594-19	9614-0594-19	9614-0594-19
		Lip seal set (10 pcs.) HNBR	9614-0594-20	9614-0594-20	9614-0594-20	9614-0594-20	9614-0594-20
		Lip seal set (10 pcs.) FPM	9614-0594-21	9614-0594-21	9614-0594-21	9614-0594-21	9614-0594-21
Valve Body							
22	1	Valve body, lower, 2 ports ISO	9613-1395-03	9613-1395-05	9613-1395-07	9613-1395-09	9613-1395-11
	1	Valve body, lower, 3 ports ISO	9613-1395-04	9613-1395-06	9613-1395-08	9613-1395-10	9613-1395-12
	1	Valve body, lower, 2 ports DIN	9613-1396-03	9613-1396-05	9613-1396-07	9613-1396-09	9613-1396-11
	1	Valve body, lower, 3 ports DIN	9613-1396-04	9613-1396-06	9613-1396-08	9613-1396-10	9613-1396-12
Valve Plug							
23	1	Plug, shut off, ISO/DIN comp., EPDM (std)	9613-1619-02	9613-1619-03	9613-1619-04	9613-1619-05	9613-1388-06
	1	Plug, shut off, ISO/DIN comp., HNBR	9613-1619-08	9613-1619-09	9613-1619-10	9613-1619-11	9613-1388-18
	1	Plug, shut off, ISO/DIN comp., FPM	9613-1619-14	9613-1619-15	9613-1619-16	9613-1619-17	9613-1388-30
23.1	1	Plug, shut off, ISO/DIN	9613-1590-01	9613-1591-01	9613-1592-01	9613-1593-01	9613-1398-06
23.2	◆	1 Plug seal, EPDM (standard)					
	1	Plug seal, HNBR					
	1	Plug seal, FPM					
		Plug seal set (10 pcs.) EPDM	9614-0594-04	9614-0594-07	9614-0594-10	9614-0594-13	9614-0594-16
		Plug seal set (10 pcs.) HNBR	9614-0594-05	9614-0594-08	9614-0594-11	9614-0594-14	9614-0594-17
		Plug seal set (10 pcs.) FPM	9614-0594-06	9614-0594-09	9614-0594-12	9614-0594-15	9614-0594-18
			DN 40	DN 50	DN 65	DN 80	DN 100
			38 mm	51 mm	63.5 mm	76.1 mm	101.6 mm

Service kit for actuator


□	Service kit	9611-92-6500	9611-92-6500	9611-92-6500	9611-92-6500	9611-92-6500
---	-------------------	--------------	--------------	--------------	--------------	--------------

Service kit for product wetted parts, standard

◆	Service kit, EPDM	9611-92-6502	9611-92-6503	9611-92-6504	9611-92-6505	9611-92-6506
◆	Service kit, HNBR	9611-92-6508	9611-92-6509	9611-92-6510	9611-92-6511	9611-92-6512
◆	Service kit, FPM	9611-92-6514	9611-92-6515	9611-92-6516	9611-92-6517	9611-92-6518

Parts marked with ◻◆ are included in the service kits.

Recommended spare parts: Service kits.



Unique Single Seat Valve - Long Stroke Change-over Valve - 38-101.6 mm/DN40-100

Pos	Qty	Denomination	DN 40 38 mm	DN 50 51 mm	DN 65 63.5 mm	DN 80 76.1 mm	DN 100 101.6 mm
Actuator							
		Actuator, complete (NO)	9613-1548-16	9613-1548-17	9613-1548-18	9613-1548-19	9613-1548-20
		Actuator, complete (NC)	9613-1548-21	9613-1548-22	9613-1548-23	9613-1548-24	9613-1548-25
		Actuator, complete (A/A)	9613-1548-26	9613-1548-27	9613-1548-28	9613-1548-29	9613-1548-30
5	1	Adapter, plastic	9613-1274-01	9613-1274-01	9613-1274-01	9613-1274-01	9613-1274-01
	1	Adapter, steel (Period 2009-2011)				9614-0653-01	9614-0653-01
6	□	2 Bushing					
7	□	2 O-ring					
8	□	2 O-ring					
9	1	Plug	9613-4141-01	9613-4141-01	9613-4141-01	9613-4141-01	9613-4141-01
12	1(2)	Air fitting	9611-99-1988	9611-99-1988	9611-99-1988	9611-99-1988	9611-99-1988
Clamp							
19	2	Clamp	9612-9393-03	9612-9393-04	9612-9393-05	9612-9393-06	9612-9393-07
Bonnet							
20	1	Bonnet	9613-1271-02	9613-1271-03	9613-1271-04	9613-1271-05	9613-1271-06
21	◆	3 O-ring, EPDM (standard)					
	3	O-ring, HNBR					
	3	O-ring, FPM					
		O-ring set (10 pcs.) EPDM	9614-0594-22	9614-0594-25	9614-0594-28	9614-0594-31	9614-0594-34
		O-ring set (10 pcs.) HNBR	9614-0594-23	9614-0594-26	9614-0594-29	9614-0594-32	9614-0594-35
		O-ring set (10 pcs.) FPM	9614-0594-24	9614-0594-27	9614-0594-30	9614-0594-33	9614-0594-36
24	1	Bushing	9613-1250-02	9613-1250-02	9613-1250-02	9613-1250-02	9613-1250-02
25	◆	1 Lip seal, EPDM (standard)					
	1	Lip seal, HNBR					
	1	Lip seal, FPM					
		Lip seal set (10 pcs.) EPDM	9614-0594-19	9614-0594-19	9614-0594-19	9614-0594-19	9614-0594-19
		Lip seal set (10 pcs.) HNBR	9614-0594-20	9614-0594-20	9614-0594-20	9614-0594-20	9614-0594-20
		Lip seal set (10 pcs.) FPM	9614-0594-21	9614-0594-21	9614-0594-21	9614-0594-21	9614-0594-21
28	1	Seat	9613-1275-02	9613-1275-03	9613-1275-04	9613-1275-05	9613-1275-06
Valve Body							
26	1	Valve body, upper, 1 port ISO	9613-1393-03	9613-1393-05	9613-1393-07	9613-1393-09	9613-1393-11
	1	Valve body, upper, 2 ports ISO	9613-1393-04	9613-1393-06	9613-1393-08	9613-1393-10	9613-1393-12
	1	Valve body, upper, 1 port DIN	9613-1394-03	9613-1394-05	9613-1394-07	9613-1394-09	9613-1394-11
	1	Valve body, upper, 2 ports DIN	9613-1394-04	9613-1394-06	9613-1394-08	9613-1394-10	9613-1394-12
22	1	Valve body, lower, 2 ports ISO	9613-1395-03	9613-1395-05	9613-1395-07	9613-1395-09	9613-1395-11
	1	Valve body, lower, 3 ports ISO	9613-1395-04	9613-1395-06	9613-1395-08	9613-1395-10	9613-1395-12
	1	Valve body, lower, 2 ports DIN	9613-1396-03	9613-1396-05	9613-1396-07	9613-1396-09	9613-1396-11
	1	Valve body, lower, 3 ports DIN	9613-1396-04	9613-1396-06	9613-1396-08	9613-1396-10	9613-1396-12
Valve Plug							
27	1	Plug, change over, ISO/DIN comp., EPDM (std) ..	9613-1620-02	9613-1620-03	9613-1620-04	9613-1620-05	9613-1620-06
	1	Plug, change over, ISO/DIN comp., HNBR	9613-1620-08	9613-1620-09	9613-1620-10	9613-1620-11	9613-1620-12
	1	Plug, change over, ISO/DIN comp., FPM	9613-1620-14	9613-1620-15	9613-1620-16	9613-1620-17	9613-1620-18
27.1	1	Plug, change over, ISO/DIN	9613-1594-01	9613-1595-01	9613-1596-01	9613-1597-01	9613-1598-01
27.2◆	2	Plug seal, EPDM (standard)					
	2	Plug seal, HNBR					
	2	Plug seal, FPM					
		Plug seal set (10 pcs.) EPDM	9614-0594-04	9614-0594-07	9614-0594-10	9614-0594-13	9614-0594-16
		Plug seal set (10 pcs.) HNBR	9614-0594-05	9614-0594-08	9614-0594-11	9614-0594-14	9614-0594-17
		Plug seal set (10 pcs.) FPM	9614-0594-06	9614-0594-09	9614-0594-12	9614-0594-15	9614-0594-18
			DN 40 38 mm	DN 50 51 mm	DN 65 63.5 mm	DN 80 76.1 mm	DN 100 101.6 mm

Service kit for actuator


□	Service kit	9611-92-6500	9611-92-6500	9611-92-6500	9611-92-6500	9611-92-6500
---	-------------------	--------------	--------------	--------------	--------------	--------------

Service kit for product wetted parts, standard


◆	Service kit, EPDM	9611-92-6580	9611-92-6581	9611-92-6582	9611-92-6583	9611-92-6584
◆	Service kit, HNBR	9611-92-6586	9611-92-6587	9611-92-6588	9611-92-6589	9611-92-6590
◆	Service kit, FPM	9611-92-6592	9611-92-6593	9611-92-6594	9611-92-6595	9611-92-6596

Parts marked with ◻◆ are included in the service kits.

Recommended spare parts: Service kits.



TD 461-962_1



TD 461-917_1

Mounting Tool - Unique Single Seat Valve - Long Stroke

Pos	Qty	Denomination	DN 40-100 38-101.6 mm
2	1	Tool for bushing (pos. 24)	9613-1609-01

Pos	Qty	Denomination	DN 40 38 mm	DN 50 51 mm	DN 65 63.5 mm	DN 80 76.1 mm	DN 100 101.6 mm
3	1	Mounting tool for elastomer plug seals	9613-1729-01	9613-1729-02	9613-1729-02	9613-1729-03	9613-1729-03

TD 900-524

How to contact Alfa Laval

Contact details for all countries are continually updated on our website.

Please visit www.alfalaval.com to access the information directly.

© Alfa Laval Corporate AB

This document and its contents is owned by Alfa Laval Corporate AB and protected by laws governing intellectual property and thereto related rights. It is the responsibility of the user of this document to comply with all applicable intellectual property laws. Without limiting any rights related to this document, no part of this document may be copied, reproduced or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), or for any purpose, without the expressed permission of Alfa Laval Corporate AB. Alfa Laval Corporate AB will enforce its rights related to this document to the fullest extent of the law, including the seeking of criminal prosecution.